

MAUVE ACCESSIBILITY EVALUATION REPORT



GUIDELINE SET: set composed of one or more guidelines.

GUIDELINE: it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

CRITERION: it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

CHECKPOINT: consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".





BASE URL	http://www.provincia.trapani.it/hh/ind ex.php
CRAWLING PARAMETERS	
Number of pages	10
Depth	10
NUMBER OF EVALUATED WEB PAGES	10
EVALUATION DATE	22 set 2023
EVALUATION TIME	16:06:

MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

80%

MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

82%



TOTAL ERRORS

We compute the number of erroneus checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

16 TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

5792 TOTAL ERROR OCCURRENCIES FOUND

579 AVERAGE ERROR OCCURENCIES PER PAGE

TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

5867 TOTAL WARNINGS OCCURENCIES FOUND


586 AVERAGE WARNING OCCURENCIES PER PAGE

MOST ERRONEUS PAGES

We compute a rank of the most erroneus pages of the website, according to the occurrences of errors found in each evaluated page.

- 1. http://www.provincia.trapani.it/hh/index.php
- 2. http://www.provincia.trapani.it/zf/index.php/privacy/index/cookie
- **3.** http://www.provincia.trapani.it/zf/index.php/privacy/index/privacy






E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8



E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	OPERABLE	
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44







E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
COLOR			




E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27





E/W	Errors	No. of occurrences
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3





E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1




E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8





PAGE URL: http://www.provincia.trapani.it/zf/index.php/privacy/index/cookie



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
Е	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	301
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1




E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	OPERABLE	
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	138
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	138
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	46
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44





PAGE URL: http://www.provincia.trapani.it/zf/index.php/privacy/index/cookie



E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	46	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
COLOR			



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	301
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	138
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	138
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
LINK		






E/W	Errors	No. of occurrences
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
	RESPONSIVE	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
TABLE		
Е	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1





PAGE URL: http://www.provincia.trapani.it/zf/index.php/privacy/index/cookie



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	301
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	6
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2




E/W	Errors	No. of occurrences
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	138
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	138
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	46
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8





PAGE URL: http://www.provincia.trapani.it/zf/index.php/privacy/index/privacy



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	13
	OPERABLE	
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	141
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	141
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	46
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44





PAGE URL: http://www.provincia.trapani.it/zf/index.php/privacy/index/privacy



E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	46	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
COLOR			



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	1
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	13
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	141
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	141
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	11





E/W	Errors	No. of occurrences
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



PAGE URL: http://www.provincia.trapani.it/zf/index.php/privacy/index/privacy




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	1
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	13
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	11
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1



E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	141
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	141
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	46
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8



E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	OPERABLE	
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44







E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
COLOR			




E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27





E/W	Errors	No. of occurrences
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3





E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	




E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8





PAGE URL: http://www.provincia.trapani.it/provinciatp/zf/index.php/organigramn



E/W	Errors	No. of occurrences
PERCEIVABLE		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	31
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	375
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3




E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
	OPERABLE	
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	156
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	156
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	175
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44





PAGE URL: http://www.provincia.trapani.it/provinciatp/zf/index.php/organigramn



E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	175	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9	
COLOR			



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	31
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	375
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	156
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	156
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7





E/W	Errors	No. of occurrences
	RESPONSIVE	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1





PAGE URL: http://www.provincia.trapani.it/provinciatp/zf/index.php/organigramn




E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	31
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	375
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	2
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	7
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1



E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	156
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	156
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	175
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	303
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	8
	OPERABLE	
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	152
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	152
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	51
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44







E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	51	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
COLOR			



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	303
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	8
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	152
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	152
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20





E/W	Errors	No. of occurrences
	RESPONSIVE	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1








E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	303
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	8
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1



E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	152
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	152
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	51
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10








E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	358
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	OPERABLE	
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	148
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	148
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	80
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44







E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	80	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
COLOR			



E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	358
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	148
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	148
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15






E/W	Errors	No. of occurrences
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
TABLE		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1







E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	358
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	15
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1




E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	148
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	148
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	80
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: http://www.provincia.trapani.it/provinciatp/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	OPERABLE	
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44





PAGE URL: http://www.provincia.trapani.it/provinciatp/



E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
COLOR			



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27






E/W	Errors	No. of occurrences
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



PAGE URL: http://www.provincia.trapani.it/provinciatp/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1




E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8





PAGE URL: http://www.provincia.trapani.it/index.php



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	OPERABLE	
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44





PAGE URL: http://www.provincia.trapani.it/index.php



E/W	Errors	No. of occurrences	
	ARIA		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
COLOR			



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
IMG		
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27





E/W	Errors	No. of occurrences
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3



PAGE URL: http://www.provincia.trapani.it/index.php



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	386
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1




E/W	Errors	No. of occurrences
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	192
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	192
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	189
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	25
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8





PAGE URL: http://www.provincia.trapani.it/provinciatp/zf/index.php/trasparenza/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	204
Е	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	3
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	3
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
Е	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1



E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	589
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	352
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	352
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	84
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
	ROBUST	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
Е	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1






E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	203
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: http://www.provincia.trapani.it/provinciatp/zf/index.php/trasparenza/



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	84
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	203



E/W	Errors	No. of occurrences			
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11			
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1			
	COLOR				
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2			
CONTENT					
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	589			
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15			
FORM					
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	3			
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2			
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	3			
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	352			
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	352			
HTML					
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80			
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1			
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80			
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1			
Е	SC 2.4.2 - Tech H25 Providing a title using the title element	1			






E/W	Errors	No. of occurrences		
IMG				
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7		
LINK				
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	204		
RESPONSIVE				
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3		
TABLE				
Е	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	3		





PAGE URL: http://www.provincia.trapani.it/provinciatp/zf/index.php/trasparenza/



E/W	Errors	No. of occurrences		
STYLE				
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	3		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	2		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	589		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	3		
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15		
HTML				
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	204		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	80		



E/W	Errors	No. of occurrences
Е	SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	2
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	3
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	80
E	SC 2.4.2 - Tech F25 This describes a failure condition when the Web page has a title, but the title does not identify the contents or purpose of the Web page.	1
E	SC 2.4.2 - Tech H25 Providing a title using the title element	1
Е	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	352
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	352
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	84
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	3
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	203
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	7
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	11
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



HIIS LAB @ ISTI-CNR

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1 56124 Pisa Italy Room: Building B - Entrance 17 - II Floor

http://hiis.isti.cnr.it/lab/home